

**LASER
CUT SCREEN
DESIGNS**

LASER CUT SCREEN DESIGNS

Designs may vary for
different sized screens.

FENCEBUILD
FENCING + SCREENS + BALUSTRADE




Jungle

≈ 37% Visibility




Neo

≈ 12% Visibility



Istanbul

≈ 55% Visibility




Equinox

≈ 47% Visibility



Droplets

≈ 12% Visibility



Mangrove

≈ 18% Visibility

LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified.

Sliding gates have a 50mm design border with 100mm on the bottom to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

Weathering Steel (Corten)

3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

Reconstituted Hardwood (Weathertex)

100% Australian Plantation Hardwood

9mm thick sheets

Hardwood requires painting/staining for outdoor use.

This is not the responsibility of Fencebuild unless stated for the project



CUSTOM DESIGNS ARE
AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.


TITLE: LASER CUT SCREEN DESIGNS

CONTACT: estimating@fencebuild.net.au

LASER CUT SCREEN DESIGNS


Designs may vary for different sized screens.

FENCEBUILD
FENCING + SCREENS + BALUSTRADE




New Design

Copenhagen ≈ 45% Vis




New Design

Cubism ≈ 45% Vis




New Design

Daisy ≈ 14% Vis




New Design

Leaf Vein ≈ 56% Vis




New Design

Tudor ≈ 14% Vis




New Design

Tulip ≈ 13% Vis



New Design

Sea Fan ≈ 30% Vis



New Design

Canopy ≈ 21% Vis

LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified.

Sliding gates have a 50mm design border with 100mm on the bottom to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

Weathering Steel (Corten)

3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

Reconstituted Hardwood (Weathertex)

100% Australian Plantation Hardwood

9mm thick sheets

Hardwood requires painting/staining for outdoor use.

This is not the responsibility of Fencebuild unless stated for the project



CUSTOM DESIGNS ARE AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.

TITLE: LASER CUT SCREEN DESIGNS


CONTACT: estimating@fencebuild.net.au

LASER CUT SCREEN DESIGNS

Designs may vary for different sized screens.




Gum Leaf ≈ 36% Vis



Bali ≈ 44% Vis



Scroll ≈ 30% Vis




Rings ≈ 54% Vis




Leaf ≈ 21% Vis



Bamboo ≈ 31% Vis



Marrakesh ≈ 48% Vis



Stone ≈ 48% Vis

LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified.

Sliding gates have a 50mm design border with 100mm on the bottom to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

Weathering Steel (Corten)

3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

Reconstituted Hardwood (Weathertex)

100% Australian Plantation Hardwood

9mm thick sheets

Hardwood requires painting/staining for outdoor use.

This is not the responsibility of Fencebuild unless stated for the project



CUSTOM DESIGNS ARE AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.

TITLE: LASER CUT SCREEN DESIGNS

CONTACT: estimating@fencebuild.net.au


LASER CUT SCREEN DESIGNS

Designs may vary for different sized screens.


FENCEBUILD
FENCING + SCREENS + BALUSTRADE




Ripple ≈ 34% Vis



Chainmail ≈ 42% Vis




Link ≈ 52% Vis




Quiver ≈ 62% Vis




Tahiti ≈ 24% Vis



Birch ≈ 19% Vis



Woodgrain ≈ 24% Vis



Herringbone ≈ 13% Vis

LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified.

Sliding gates have a 50mm design border with 100mm on the bottom to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

Weathering Steel (Corten)

3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

Reconstituted Hardwood (Weathertex)

100% Australian Plantation Hardwood

9mm thick sheets

Hardwood requires painting/staining for outdoor use.

This is not the responsibility of Fencebuild unless stated for the project



CUSTOM DESIGNS ARE AVAILABLE ON REQUEST


NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.

TITLE: LASER CUT SCREEN DESIGNS


CONTACT: estimating@fencebuild.net.au

LASER CUT SCREEN DESIGNS


Designs may vary for different sized screens.




Web ≈ 37% Vis



Honeycomb ≈ 55% Vis



Gatsby ≈ 17% Vis




Dragonfly ≈ 37% Vis

New Design




Happiness ≈ 44% Vis




Fleuron ≈ 29% Vis

New Design



Brick Work ≈ 54% Vis



Algebra ≈ 34% Vis

LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified.

Sliding gates have a 50mm design border with 100mm on the bottom to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

Weathering Steel (Corten)

3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

Reconstituted Hardwood (Weathertex)

100% Australian Plantation Hardwood

9mm thick sheets

Hardwood requires painting/staining for outdoor use.

This is not the responsibility of Fencebuild unless stated for the project



CUSTOM DESIGNS ARE AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.


TITLE: LASER CUT SCREEN DESIGNS

CONTACT: estimating@fencebuild.net.au

LASER CUT SCREEN DESIGNS

Designs may vary for
different sized screens.

FENCEBUILD
FENCING + SCREENS + BALUSTRADE




Feng Shui ≈ 47% Vis



Fauna ≈ 28% Vis



Savannah ≈ 33% Vis



Merino ≈ 41% Vis

LASER SCREEN BORDERS

40mm Screen Border on All Edges unless otherwise specified.

Sliding gates have a 50mm design border with 100mm on the bottom to cater for the sliding gate frame.

It is standard for us to take 5mm off the outside dimensions of the screen to allow for fixing frame radius. This does not apply to adjoining screens.

LASER SCREEN MATERIAL OPTIONS

Powder Coated Aluminium

3mm thick 6063 T6 Aluminium

Are available in the Interpon Powder Coating Colour Range

Weathering Steel (Corten)

3mm thick high strength Weathering Steel

Forms a stable, attractive rust-like appearance

Reconstituted Hardwood (Weathertex)

100% Australian Plantation Hardwood

9mm thick sheets

Hardwood requires painting/staining for outdoor use.

This is not the responsibility of Fencebuild unless stated for the project



CUSTOM DESIGNS ARE
AVAILABLE ON REQUEST

NOTE: Most designs can be customised to different screen sizes and shapes and can be fabricated to allow for various fixing requirements. The designs shown are based on a ratio of 1:2 (i.e. 900 x 1800mm) so screen designs outside of this ratio may vary slightly to suit.

TITLE: LASER CUT SCREEN DESIGNS

CONTACT: estimating@fencebuild.net.au