



**WELDED
LOUVRED
ELLIPTICAL
SLAT SYSTEM**



STILE SIDE ELEVATION




FRONT ELEVATION
100 x 20 x 1.8mm Elliptical Slats @ 75 DEGREE ANGLE




54 x 30mm U CHANNEL

OR



50 x 25mm ANGLE



100 x 20 x 1.8mm ELLIPTICAL SLAT with Centre Support Gusset

STILE OPTIONS

25 x 50mm CNC Routed Stile
Black Plastic Caps available - Sold Separately

LOUVRED ELLIPTICAL SLAT

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slats are rotated 75° and slightly overlapped to create the louvred style
- Slats are welded into Stile

CNC Routed Centre Back Strap Support for panels over 1500mm wide

Raking is *not* possible with louvred products

CHANNEL FIXINGS

54 x 30mm U Channel - Per Metre Length or 50 x 25mm Angle

10-16-16 / 12-14*20 Self Tapping Tek Screws

MATERIALS


6063 T6 Aluminium - Powder Coated

All of our Louvred Elliptical Screens are available in the Interpon Powder Coating Colour Range

TITLE: ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT SCREENS ASSEMBLED CONFIGURATION

CONTACT: sales@oxworks.com.au

oxworks.com.au ☎ 1300 336 237



STILE OPTIONS

25 x 50mm CNC Routed Stile

Black Plastic Caps available - Sold Separately

LOUVRED ELLIPTICAL SLAT

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slats are rotated 75° and slightly overlapped to create the louvred style

- Slats are welded into Stile

CNC Routed Centre Back Strap Support for panels over 1500mm wide

Raking is *not* possible with louvred products

CHANNEL FIXINGS

54 x 30mm U Channel - Per Metre Length
or 50 x 25mm Angle

10-16-16 /12-14*20 Self Tapping Tek Screws

MATERIALS

6063 T6 Aluminium - Powder Coated

All of our Louvred Elliptical Screens are available in the Interpon Powder Coating Colour Range

TITLE: **ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT SCREENS TYPICAL ASSEMBLY**

CONTACT: sales@oxworks.com.au

oxworks.com.au 📍 1300 336 237

STILE OPTIONS

25 x 50mm CNC Routed Stile

Black Plastic Caps available - Sold Separately

LOUVRED ELLIPTICAL SLAT

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slats are rotated 75° and slightly overlapped to create the louvred style

- Slats are welded into Stile

CNC Routed Centre Back Strap Support for panels over 1500mm wide

Raking is *not* possible with louvred products

CHANNEL FIXINGS


54 x 30mm U Channel - Per Metre Length
or 50 x 25mm Angle

10-16-16 / 12-14*20 Self Tapping Tek Screws




MATERIALS

6063 T6 Aluminium - Powder Coated

All of our Louvred Elliptical Screens are available in the Interpon Powder Coating Colour Range



BACK VIEW OF WELDING DETAIL



25 X 50MM CNC EXTRUSION DETAIL

TITLE: **ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT SCREENS UNASSEMBLED CONFIGURATION**

CONTACT: sales@oxworks.com.au

oxworks.com.au 📞 1300 336 237

GATE STILE OPTIONS

50 x 50 x 3mm CNC Routed Frame

50 x 50mm Wall Posts Required

LOUVRED ELLIPTICAL SLAT

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slats are rotated 75° and slightly overlapped to create the louvred style

- Slats are welded into Stile

Raking is *not* possible with louvred products

MATERIALS

6063 T6 Aluminium - Powder Coated


All of our Louvred Elliptical Screens are available in the Interpon Powder Coating Colour Range

RECOMMENDED HINGE & LATCH

Genuine D&D Technologies Patented Product
Strong, Moulded Polymer & Stainless Steel
Limited Lifetime Warranty
Includes all required fittings


HW2020 Tru Close Regular Hinge

HW3030 LokkLatch Deluxe




U CHANNEL USED WHEN SLIDING PANEL DOWN FROM TOP

50 x 50 WALL POST



TRU CLOSE REGULAR HINGE



LOKKLATCH DELUXE

ANGLE USED WHEN FIXING FROM FRONT



TITLE: ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT GATE AND PANEL TYPICAL ASSEMBLY

CONTACT: sales@oxworks.com.au

oxworks.com.au 1300 336 237

STILE OPTIONS

25 x 50mm CNC Routed Stile
Black Plastic Caps available - Sold Separately

LOUVRED ELLIPTICAL SLAT

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slats are rotated 75° and slightly overlapped to create the louvred style
- Slats are welded into Stile

CNC Routed Centre Back Strap Support for panels over 1500mm wide

Raking is *not* possible with louvred products

CHANNEL FIXINGS


54 x 30mm U Channel - Per Metre Length
or 50 x 25mm Angle

10-16-16 / 12-14*20 Self Tapping Tek Screws


MATERIALS

6063 T6 Aluminium - Powder Coated



All of our Louvred Elliptical Screens are available in the Interpon Powder Coating Colour Range



BACK VIEW OF WELDING DETAIL



25 X 50MM CNC EXTRUSION DETAIL



WINDOW HOOD ARM DETAIL

TITLE: **ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT SCREENS WINDOW HOOD TYPICAL ASSEMBLY**

CONTACT: sales@oxworks.com.au

oxworks.com.au ☎ 1300 336 237