





SPECIFICATION SHEETS

WELDED HORIZONTAL LOUVRED SLAT OPTIONS




STILE SIDE ELEVATION



54 x 30mm U CHANNEL

FRONT ELEVATION
100 x 20 x 1.8mm Elliptical Slats @ 75 DEGREE ANGLE



100 x 20 x 1.8mm ELLIPTICAL SLAT with Centre Support Gusset

OXWORKS™

STILE OPTIONS

50 x 25 x 1.8mm Screwflute Routed Stile

Cast Top cap included prior to powdercoating

LOUVRED ELLIPTICAL SLAT

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slats are welded into Stile
- Slat are rotated 70° and slightly overlapped to create the louvred style*

* Some Panel/Gate Heights make it difficult to achieve an overlap - check with sales rep or drawings dept

CNC Routed Centre Back Strap Support for panels over 1500mm wide

NOTE // Raking of Louvred Panels and Gates is NOT possible

LOUVRED SLAT SWING GATE FRAME

50 x 50 x 3mm Frame

Mitred Corners

LOUVRED SLAT SLIDING GATE FRAME

50 x 50 x 3mm Top/Side Frame
(Mitred Top Corners)

50 x 100 x 3mm Bottom Rail + 400mm Tail

CHANNEL FIXINGS

54 x 30mm U Channel - Per Metre Length

10-16-16 /12-14*20 Self Tapping Tek Screws

MATERIALS

6063 T6 Aluminium - Powder Coated

All of our Louvred Elliptical Screens are available in the Interpon Powder Coating Colour Range

TITLE: ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT SCREENS ASSEMBLED CONFIGURATION

CONTACT: sales@oxworks.com.au

oxworks.com.au **1300 336 237**



STILE OPTIONS

50 x 25 x 1.8mm Screwflute Routed Stile

Cast Top cap included prior to powdercoating

LOUVRED ELLIPTICAL SLAT

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slats are welded into Stile
- Slat are rotated 70° and slightly overlapped to create the louvred style*

* Some Panel/Gate Heights make it difficult to achieve an overlap - check with sales rep or drawings dept

CNC Routed Centre Back Strap Support for panels over 1500mm wide

NOTE // Raking of Louvred Panels and Gates is NOT possible

LOUVRED SLAT SWING GATE FRAME

50 x 50 x 3mm Frame

Mitred Corners

LOUVRED SLAT SLIDING GATE FRAME

50 x 50 x 3mm Top/Side Frame
(Mitred Top Corners)

50 x 100 x 3mm Bottom Rail + 400mm Tail

CHANNEL FIXINGS

54 x 30mm U Channel - Per Metre Length

10-16-16 /12-14*20 Self Tapping Tek Screws

MATERIALS


6063 T6 Aluminium - Powder Coated

All of our Louvred Elliptical Screens are available in the Interpon Powder Coating Colour Range



TITLE: ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT SCREENS TYPICAL ASSEMBLY

CONTACT: sales@oxworks.com.au


oxworks.com.au  **1300 336 237**



STILE SIDE ELEVATION



54 x 30mm U CHANNEL



65 x 16 x 1.2mm ELLIPTICAL SLAT with Centre Support Gusset

OXWORKS™

STILE OPTIONS

50 x 25 x 1.8mm Screwflute Routed Stile

Cast Top cap included prior to powdercoating

LOUVRED SLAT PANEL

65 x 16 x 1.2mm Aluminium Slat with Centre Support Gusset

- Slats are welded into Stile
- Slat are rotated 70° and slightly overlapped to create the louvred style*

* Some Panel/Gate Heights make it difficult to achieve an overlap - check with sales rep or drawings dept

CNC Routed Centre Back Strap Support for panels over 1500mm wide

NOTE // Raking of Louvred Panels and Gates is NOT possible

LOUVRED SLAT SWING GATE FRAME

50 x 50 x 3mm Frame

Mitred Corners

LOUVRED SLAT SLIDING GATE FRAME

50 x 50 x 3mm Top/Side Frame (Mitred Top Corners)

50 x 100 x 3mm Bottom Rail + 400mm Tail

CHANNEL FIXINGS

54 x 30mm U Channel - Per Metre Length

10-16-16 / 12-14*20 Self Tapping Tek Screws

MATERIALS


6063 T6 Aluminium - Powder Coated

All of our Louvred Screens are available in the Interpon Powder Coating Colour Range

TITLE: ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT SCREENS ASSEMBLED CONFIGURATION

CONTACT: sales@oxworks.com.au

oxworks.com.au 1300 336 237



STILE OPTIONS

50 x 25 x 1.8mm Screwflute Routed Stile

Cast Top cap included prior to powdercoating

LOUVRED SLAT PANEL

65 x 16 x 1.2mm Aluminium Slat with Centre Support Gusset

- Slats are welded into Stile
- Slat are rotated 70° and slightly overlapped to create the louvred style*

* Some Panel/Gate Heights make it difficult to achieve an overlap - check with sales rep or drawings dept

CNC Routed Centre Back Strap Support for panels over 1500mm wide

NOTE // Raking of Louvred Panels and Gates is NOT possible

LOUVRED SLAT SWING GATE FRAME

50 x 50 x 3mm Frame

Mitred Corners

LOUVRED SLAT SLIDING GATE FRAME

50 x 50 x 3mm Top/Side Frame (Mitred Top Corners)

50 x 100 x 3mm Bottom Rail + 400mm Tail

CHANNEL FIXINGS

54 x 30mm U Channel - Per Metre Length

10-16-16 / 12-14*20 Self Tapping Tek Screws

MATERIALS




6063 T6 Aluminium - Powder Coated

All of our Louvred Screens are available in the Interpon Powder Coating Colour Range


TITLE: ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT SCREENS TYPICAL ASSEMBLY

CONTACT: sales@oxworks.com.au

oxworks.com.au  **1300 336 237**



TRU CLOSE REGULAR HINGE



LOKKLATCH DELUXE

OXWORKS™

GATE STILE OPTIONS

50 x 50 x 3mm CNC Routed Frame

50 x 50mm Wall Posts Required

LOUVRED ELLIPTICAL SLAT

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slats are rotated 75° and slightly overlapped to create the louvred style
- Slats are welded into Stile

Raking is *not* possible with louvred products

MATERIALS

6063 T6 Aluminium - Powder Coated

All of our Louvred Elliptical Screens are available in the Interpon Powder Coating Colour Range

RECOMMENDED HINGE & LATCH

Genuine D&D Technologies Patented Product

Strong, Moulded Polymer & Stainless Steel

Limited Lifetime Warranty

Includes all required fittings

HW2020 Tru Close Regular Hinge

HW3030 LokkLatch Deluxe

OR

HW3077 Mortice Lock

D D&D Technologies
Hi-Performance Hardware

TITLE: ALUMINIUM WELDED ELLIPTICAL LOUVRED SLAT GATE AND PANEL TYPICAL ASSEMBLY

CONTACT: sales@oxworks.com.au

oxworks.com.au  1300 336 237