

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

**PG1 – FLAT TOP W/ EXTRA RAIL PEDESTRIAN GATE**

TITLE: **FLAT TOP W/ EXTRA RAIL
PEDESTRIAN GATE**

DRAWING NO: **PG1**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

**PG2 – COOKTOWN W/ EXTRA RAIL PEDESTRIAN GATE**


Pattern may vary depending on gate width

TITLE: **COOKTOWN W/ EXTRA RAIL
PEDESTRIAN GATE**

DRAWING NO: **PG2**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG3 – ROCKY + DOGGY BARS PEDESTRIAN GATE

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

Doggy Bars @ 50mm Tube Centres

Double Top Rail (DTR) Design dependent on gate width

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)


Pattern may vary depending on gate width

TITLE: **ROCKY + DOGGY BARS**
PEDESTRIAN GATE

DRAWING NO: **PG3**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG4 – BUNDY W/ EXTRA RAIL PEDESTRIAN GATE

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

Fleur De Lys 'J' Male Spear

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

TITLE: **BUNDY W/ EXTRA RAIL
PEDESTRIAN GATE**

DRAWING NO: **PG4**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG5 – RICHMOND PEDESTRIAN GATE

OXWORKS®

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

TITLE: **RICHMOND**
PEDESTRIAN GATE

DRAWING NO: **PG5**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

83 x 8mm Round S Scroll


83 x 8mm Round Ring

Doggy Bars @ 50mm Tube Centres

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)


**PG6** – CLERMONT W/ EXTRA RAIL PEDESTRIAN GATE

TITLE: **CLERMONT W/ EXTRA RAIL
PEDESTRIAN GATE**

DRAWING NO: **PG6**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG7 – CUSTOM CURVED TOP SPEAR PEDESTRIAN GATE

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

Minimum Gate Width for a wave rise:

GATE WIDTH (mm)	RISE (mm)
1000	140
1200	190
1500	300

Gate height is measured to top of spears

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

Fleur De Lys 'J' Male Spear

83mm Flat Ring

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

Pattern may vary depending on gate width

TITLE: **CURVED TOP PROSPERINE
PEDESTRIAN GATE**

DRAWING NO: **PG7**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG8 – CUSTOM CURVED TOP DTR PEDESTRIAN GATE

OXWORKS®

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

Minimum Gate Width for a wave rise:

GATE WIDTH (mm)	RISE (mm)
1000	140
1200	190
1500	300

Gate height is measured to top of curve

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)


Pattern may vary depending on gate width

TITLE: **CUSTOM CURVED TOP AYR
PEDESTRIAN GATE**

DRAWING NO: **PG8**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG9 – CUSTOM CURVED TOP RINGS + DOGGY BARS PEDESTRIAN GATE

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

Minimum Gate Width for a wave rise:

GATE WIDTH (mm)	RISE (mm)
1000	140
1200	190
1500	300

Gate height is measured to top of curve

16mm CHS (1.2mm) Vertical Tubes

100mm Tube Centres

Doggy Bars @ 50mm Tube Centres

83mm Flat Rings

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

Pattern may vary depending on gate width

TITLE: **CUSTOM LONGREACH
+ DOGGY BARS PEDESTRIAN GATE**

DRAWING NO: **PG9**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

65 x 16mm Slats


Vertical Slats are Routed

20mm Spacings

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

**PG10 – VERTICAL 65 x 16mm SLATS PEDESTRIAN GATE**

TITLE: **VERTICAL 65 x 16mm SLATS
PEDESTRIAN GATE**

DRAWING NO: **PG10**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG11 – HORIZONTAL 38 x 16mm SLATS PEDESTRIAN GATE

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

38 x 16mm Slats

Slats attached using 20 x 20mm
U Channel

20mm Spacings

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in
the [Interpon Powder Coating Colour Range](#)

TITLE: **HORIZONTAL 38 x 16mm SLATS
PEDESTRIAN GATE**

DRAWING NO: **PG11**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

SLAT OPTIONS

65 x 16mm Slats

90 x 16mm Slats

*Please specify which Slat profile
you require when ordering*

Slats attached using 20 x 20mm
U Channel

20mm Spacings

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in
the [Interpon Powder Coating Colour Range](#)



65mm Slats Option



90mm Slats Option

PG12 – HORIZONTAL 65 or 90mm SLATS PEDESTRIAN GATE


Please specify which Slat profile you require when ordering

TITLE: **HORIZONTAL 65 or 90mm SLATS
PEDESTRIAN GATE**

DRAWING NO: **PG12**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG13 – MIXED VERTICAL SLAT (65/90/38) PEDESTRIAN GATE

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

Slats

- 65 x 16mm Slats
- 90 x 16mm Slats
- 38 x 16mm Slats

Vertical Slats are Routed

20mm Spacings

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

TITLE: **MIXED VERTICAL SLATS
(65/90/40MM) PEDESTRIAN GATE**

DRAWING NO: **PG13**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

FRAME

40 x 40 x 2mm SHS Frame

Mitred Corners

DESIGN

Slats

- 90 x 16mm Slats
- 65 x 16mm Slats
- 38 x 16mm Slats

Slats attached using 20 x 20mm
U Channel

20mm Spacings

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in
the [Interpon Powder Coating Colour Range](#)






PG14 – MIXED HORIZONTAL SLAT (90/65/38) PEDESTRIAN GATE

TITLE: **MIXED HORIZONTAL SLATS
(90/65/40MM) PEDESTRIAN GATE**

DRAWING NO: **PG14**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



CAST CAP DETAIL

PG15 – RADIATOR STYLE 65MM SLAT PEDESTRIAN GATE

OXWORKS

FRAME

40 x 40 x 3mm SHS Frame

Mitred Corners

DESIGN

65 x 16mm Slats welded on edge

65mm Slat Centres (49mm Gaps)

Caps supplied for the top of slats only

- Optional colour matching cast caps available for a surcharge

MATERIALS

6063 T6 Aluminium


All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

TITLE: **RADIATOR STYLE 65MM SLAT
PEDESTRIAN GATE**


DRAWING NO: **PG15**

CONTACT: sales@oxworks.com.au


oxworks.com.au // 1300 336 237



FRONT VIEW



ISOMETRIC VIEW



TOP ELEVATION DETAIL OF 40 X 40MM STYLE

PG16 – VERTICAL ANGLE (40 X 40MM) PEDESTRIAN GATE

OXWORKS

FRAME

40 x 40 x 3mm SHS Frame

Mitred Corners

DESIGN

40 x 40 x 3mm Angle

50mm Gaps

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

TITLE: **VERTICAL (40 X 40MM) ANGLE
PEDESTRIAN GATE**

DRAWING NO: **PG16**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

FRAME

40 x 40 x 3mm SHS Frame

Mitred Corners

DESIGN

40 x 40 x 3mm Angle

50mm Gaps

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

TITLE: **HORIZONTAL (40 X 40MM) ANGLE
PEDESTRIAN GATE**


DRAWING NO: **PG17**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237




FRONT VIEW




ISOMETRIC VIEW


PG17 – HORIZONTAL ANGLE (40 X 40MM) PEDESTRIAN GATE



FRONT VIEW



ISOMETRIC VIEW



TOP ELEVATION DETAIL OF 50 X 25MM; 25 X 25MM STYLE

FRAME

40 x 40 x 3mm SHS Frame

Mitred Corners

DESIGN

Slats

- 50 x 25 x 3mm Angle
- 25 x 25 x 3mm Angle

50mm Gaps

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)


TITLE: **MIXED VERTICAL ANGLE
(25 X 25MM/25 X 50MM)
PEDESTRIAN GATE**

DRAWING NO: **PG18**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

PG18 – VERTICAL MIXED ANGLE (25 X 25MM/25 X 50MM) PEDESTRIAN GATE



PG19 – COLONIAL VERTICAL SLATS PEDESTRIAN GATE

FRAME

40 x 40 x 3mm SHS Frame

Mitred Corners

DESIGN

65 x 16mm Slats

20mm Gaps

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

TITLE: **COLONIAL VERTICAL SLATS
PEDESTRIAN GATE**

DRAWING NO: **PG19**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

FRAME

40 x 40 x 3mm SHS Frame

Mitred Corners

DESIGN

Slats

- 65 x 16mm Slat
- 90 x 16mm Slat
- 38 x 16mm Slat


20mm Gaps

Welded Caps on top of Slats only (not cast)


MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)



ISOMETRIC VIEW



FRONT VIEW



PG20 – RANDOM FACE WELDED SLATS PEDESTRIAN GATE

TITLE: **RANDOM FACE WELDED SLATS
PEDESTRIAN GATE**

DRAWING NO: **PG20**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237



PG21 – CUSTOM RADIATOR PEDESTRIAN GATE

FRAME

40 x 40 x 3mm SHS Frame
Mitred Corners

DESIGN

50 x 25 x 1.6mm Baluster RHS
65 x 16mm Slats
65mm Slat Centres
Plastic caps supplied for the top of slats only

MATERIALS

6063 T6 Aluminium

All of our Pedestrian Gates are available in the [Interpon Powder Coating Colour Range](#)

TITLE: **CUSTOM RADIATOR
PEDESTRIAN GATE**

DRAWING NO: **PG21**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237

FRAME

50 x 50 x 3mm SHS Frame

Mitred Corners

LOUVRED ELLIPTICAL SLAT DESIGN

100 x 20 x 1.8mm Aluminium Elliptical Slat

- Slat are rotated 75° and slightly overlapped to create the louvred style
- Slat are welded into Frame


CNC Routed Centre Back Strap Support for panels over 1500mm wide

Raking is *not* possible with louvred products


MATERIALS

6063 T6 Aluminium

All of our Double Gates are available in the [Interpon Powder Coating Colour Range](#)



50 X 50MM CNC EXTRUSION DETAIL



100 x 20 x 1.8mm ELLIPTICAL SLAT with Centre Support Gusset

PG22 – HORIZONTAL ELLIPTICAL FIXED LOUVRE PEDESTRIAN GATE

TITLE: **ELLIPTICAL FIXED LOUVRE PEDESTRIAN GATE**

DRAWING NO: **PG22**

CONTACT: sales@oxworks.com.au

oxworks.com.au // 1300 336 237