



# 1300MM HIGH 3-RAIL RURAL STYLE FENCING & GATES




VIEW INSTALL  
GUIDE PDF

## Panel Kit Includes:

**1** Rails - 2388mm\* (w) x 140mm (h) x 38mm (d) - (3 of)


\*Suits post centres of 2450mm



### 3-Rail Rural Style Panel Kit - 2388 x 1300mm

**CODE: PVC300 | WEIGHT: 18.25kg**

- » Easy assembly flat pack kit
- » Durable white UV stabilised PVC with titanium dioxide additives
- » Hardy 3-Rail design with 140 x 38mm rails - perfect for rural settings or to define the boundary of acreage properties
- » 2388mm width to suit 2450mm post centres
- » Panels can be cut down to suit smaller post centre requirements



## Assembly Required

Kit includes all necessary components  
3 panel rails.

Refer to installation guide.




### 3-Rail Rural Style Gate - 1000 x 1300mm

**CODE: PVC350 | WEIGHT: 13.4kg**


- » Fully assembled gate including 2 x flat top caps
- » Aluminium reinforcing within stiles for hinge and latch placement
- » Durable white UV stabilised PVC with titanium dioxide additives
- » Hardy 3-Rail design with 140 x 38mm rails and classic diagonal cross brace for added strength. Perfect for rural settings or to define the boundary of acreage properties

#### *Fully Assembled Gate*

Our fully assembled gate comes ready to use, with no assembly required & includes 250mm of aluminium re-inforcing within gate stiles for hinge and latch placement



**NOTE: PVC360 now supplied as a pair**



### 3-Rail Rural Style Gate Pair - 1800 x 1300mm


**CODE: PVC360 | WEIGHT: 20.25kg per leaf**

**» NOTE - The PVC360 Rural Gate is supplied as a pair**

- » Fully assembled gate pair including 2 x flat top caps per leaf
- » Aluminium reinforcing within stiles for hinge and latch placement
- » Durable white UV stabilised PVC with titanium dioxide additives
- » Hardy 3-Rail design with 140 x 38mm rails and classic diagonal cross brace for added strength. Perfect for rural settings or to define the boundary of acreage properties

#### *Fully Assembled Gate*

Our fully assembled gate pair comes ready to use, with no assembly required & includes 250mm of aluminium re-inforcing within gate stiles for hinge and latch






### Inline Post - 3-Rail Rural Range

**CODE: PVC305**


- » Inline post for straight fences
- » 2050mm Height x 127mm Width x 127mm Depth; Wall Thickness: 3.8mm
- » White UV Stabilised PVC with titanium dioxide additives for enhanced protection
- » Slotted holes on both sides for easy rail insertion
- » Top cap sold separately



### End Post - 3-Rail Rural Range

**CODE: PVC310**


- » End post for start or end of runs
- » Suitable for use between stepping panels
- » 2050mm Height x 127mm Width x 127mm Depth; Wall Thickness: 3.8mm
- » White UV Stabilised PVC with titanium dioxide additives for enhanced protection
- » Slotted holes on one side for easy rail insertion
- » Top cap sold separately



### Corner Post - 3-Rail Rural Range

**CODE: PVC315**


- » Corner post for 90° corner
- » 2050mm Height x 127mm Width x 127mm Depth; Wall Thickness: 3.8mm
- » White UV Stabilised PVC with titanium dioxide additives for enhanced protection
- » Slotted holes on both sides for easy rail insertion
- » Top cap sold separately




### Gate Post - 3-Rail Rural Range

**CODE: PVC370**

- » Includes internal 1.5mm thick aluminium insert entire length of post. Provides post rigidity and sturdy substrate for fixing of hinges & latches
- » Inserts will need to be modified on site if used in conjunction with Concealed Base Plate inserts.
- » 2050mm Height x 127mm Width x 127mm Depth; Wall Thickness: 3.8mm
- » White UV Stabilised PVC with titanium dioxide additives for enhanced protection
- » Slotted holes on one side for easy rail insertion
- » Top cap sold separately







### Blank Post - 3-Rail Rural Range

**CODE: PVC380**

- » Blank post for use with panel brackets
- » 2050mm Height x 127mm Width x 127mm Depth; Wall Thickness: 3.8mm
- » White UV Stabilised PVC with titanium dioxide additives for enhanced protection
- » Blank posts can be used in conjunction with rail brackets when panel to panel rails do not line up
- » Top cap sold separately





## Post Accessories & Rail Brackets



### Slimline Post Cap

Suits 127 x 127mm Post


**CODE: PVC900**



### New England Post Cap

Suits 127 x 127mm Post



**CODE: PVC910**



### Decorative Cover Ring

Suits 127 x 127mm Post

**CODE: PVC940**



### Concealed Base Plate

Suits 127 x 127mm Post

**CODE: PVC950**

- » Internal fitting base plate suits End, Inline & Corner posts.
- » 6mm thick base plate with 2mm thick vertical walls
- » Cold-galvanized steel providing strong corrosion resistance
- » Not recommended for use in high wind load areas
- » Gate Post metal inserts will need to be modified if used in conjunction with Concealed Base Plate inserts.

**Note:** The 3-Rail Rural PVC Fencing range does not come with brackets